



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

**ACUTE ORAL TOXICITY STUDY IN RATS**

**WITH**

**Bt COTTONSEEDS**

**Report for :**

**METAHELIX LIFE SCIENCES PRIVATE LIMITED**  
**PLOT NO.3, KIADB 4<sup>th</sup> PHASE, BOMMASANDRA,**  
**BANGALORE-560 099, INDIA**

**Guidelines:**

**‘DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic  
Seeds, Plants and Plant Parts’**

**Prepared by :**

**DEPARTMENT OF TOXICOLOGY**  
**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
(A Unit of Shriram Scientific & Industrial Research)

*19, University Road, Delhi – 110 007*

*Tel. 27667267, 27667860, 27667207*

*Fax No. 91-011-27667676, 27667207,*

*Grams:SRISANDHAN E. Mail : sridhi@vsnl.com*



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

### QUALITY ASSURANCE STATEMENT

This is to certify that the work described in the study report entitled 'Acute oral toxicity study in wistar rats' with 'Bt Cottonseeds' has been audited and examined with respect to the study protocol and the Standard Operating Procedures in accordance to 'DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts' in compliance with Good laboratory Practices (G.L.P) for non clinical laboratory studies.

The report provides true and accurate record of results obtained.

The dates of inspections & dates on which findings were reported to the study director & SRI management are given below:

<u>Phases of study</u>	<u>Dates of Inspection</u>	<u>Dates of Reporting</u>
Protocol	10.11.2006	10.11.2006
Conduct	13.11.2006	13.11.2006
Records/ Raw data	30.11.2006	30.11.2006
Report	22.03.2007	22.03.2007

*Binnu Bhat*  
**Sr. SCIENTIST**  
**QUALITY ASSURANCE**

**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**

**Confidential**



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**STATEMENT OF COMPLIANCE WITH GOOD LABORATORY PRACTICE**

We, the undersigned take overall responsibility to conduct the work described in the study entitled 'Acute oral toxicity study in Wistar rats' with Bt Cottonseeds performed with respect to the study protocol and the Standard Operating Procedures in accordance to 'DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts' for non-clinical laboratory studies.

All the raw data, documentation, protocol and copy of final report are retained in the archives at Shriram Institute for Industrial Research, Delhi.

*Ahilla*  
**STUDY DIRECTOR**

*P. S. Sreenivas*  
**SCIENTIST PATHOLOGY**

*M. G. Gaurwal*  
**HEAD, DEPT. OF TOXICOLOGY**

Approved for issue

*[Signature]*  
**DEPUTY DIRECTOR  
(MANAGEMENT)**

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

Confidential

## SCIENTIFIC PERSONNEL INVOLVED IN THE STUDY

**Dr. RAJUL SAXENA, M.V.Sc.**  
(Scientist Pathology)

**Dr. ANIL KUMAR CHHILLAR, M.Sc., Ph.D.**  
(Research Associate)

**Mr. MANOJ KUMAR, M.Sc.**  
(Sr. Analyst)

**Ms. ARPITA JAISWAL, M.Sc.**  
(Analyst)

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

## INDEX

S. No.	Contents	Page No.
1.	Quality Assurance Statement	2
2.	Statement of Compliance with Good Laboratory Practice	3
3.	Scientific personnel involved in the study	4
4.	Index	5
5.	Summary	6
6.	Introduction	7
7.	Objective	8
8.	Test Substance	9
9.	Experimental design	10
10.	Husbandry	11
	Diet	11
11.	Identification of animals	12
12.	Method of administration	13
13.	Clinical Laboratory Studies	14
14.	Sacrifice and necropsy	15
15.	Bio-statistical analysis	16
16.	Results	17
	<b>Tables</b>	20-56
17.	Mortality data	20-21
	Summary of observations	22
	Body Weights data	23-30
18.	Haematology- Mean & individual data	31-35
19.	Bio-Chemistry- Mean & individual data	36-40
20.	Mean & absolute organ weight data	41-50
21.	Intensity of Lesions (Gross-pathological findings)	51-53
22.	Intensity of Lesions (Histo-pathological findings)	54-56



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

**Confidential**

## **SUMMARY**

In the assessment and evaluation of the toxic characteristics of a substance, determination of ‘acute oral toxicity’ is usually an initial step.

This study was hence, designed to conduct acute oral toxicity of ‘Bt Cottonseeds’ provided by M/s Metahelix Life Sciences Private Limited, in wistar rats.

Three groups consisting of 5 male and 5 female rats each were designated for the study. The first group was kept as control that was dosed with vehicle only, the second group of animals was administered with the Non-Bt cotton seeds (Sample-I) in powdered form orally at the dose level of 5000 mg/kg body weight with the help of metallic cannula attached with tuberculin syringe and the third group of animals was treated similarly with powdered Bt cotton seeds (Sample-II).

No toxic signs and symptoms / mortality was observed in any test group as well as the control group of animals. Hence no further testing was required.

Under the conditions of this study, the single oral administration of ‘Bt Cottonseeds (Sample-II)’ at the dose level of 5000 mg/kg b.wt to wistar rats did not induce any treatment related observable toxic effects, when compared to its corresponding “Non-Bt cotton seeds (Sample-I)” and the control group of animals treated with corn oil (vehicle) only.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

## **INTRODUCTION**

This study was carried out to determine the acute oral toxicity of 'Bt Cottonseeds' in wistar rats.

A limit test was conducted at the dose level 5000 mg/kg body weight taking 5 male and 5 female each and as no mortality was observed at this dose, no further testing was required.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

## **OBJECTIVE**

- (a) To determine the acute oral toxicity using a minimum number of animals at each step to enable the classification of the compound according to any of the commonly used system.
  
- (b) This acute toxic class method provides information both for hazard assessment and for hazard classification purposes.

## **CHARACTERIZATION OF TEST AND CONTROL COTTONSEEDS**

The test and control cottonseeds were characterized by the sponsor prior to their use in the study



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

## TEST SUBSTANCE

**PRODUCT NAME** : Bt COTTONSEEDS

**SPONSOR** : METAHELIX LIFE SCIENCES  
PRIVATE LIMITED

**MATERIAL DESCRIPTION** : YELLOWISH BROWN COLOURED  
POWDER

**PACKED IN** : BROWN COLOURED PAPER  
CARTONS

**DATE OF COMMENCEMENT** : 13.11.2006  
**OF STUDY**

**DATE OF COMPLETION** : 27.11.2006  
**OF STUDY**



PROJECT : TOX-346  
PRODUCT : Bt COTTONSEEDS  
STUDY : ACUTE ORAL TOXICITY STUDY IN RATS  
REPORT NO. : 000041134  
DATE : 22.03.2007

---

### EXPERIMENTAL DESIGN

Name of species : *Rattus rattus albanicus*  
Strain of the animals : Wistar  
\*No. of animals used per dose : 5 Male, 5 Female  
Age of the animals used : 6 to 7 weeks  
Weight range : 160-180 gm  
Acclimatization period : 7 Days  
Route of administration : Oral  
Vehicle used : Corn oil

\* A limit test at one dose level of 5000 mg/kg body weight was carried out with 5 male and 5 female rats.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

## **HUSBANDRY**

All animals were caged in a group of 5 according to sex in plastic cages fitted with wire mesh tops and having sterilized paddy husk bedding. The room temperature was maintained at  $22 \pm 3^{\circ}$  C with 40 - 70 % relative humidity.

The room was ventilated at the rate of approximately 15 air changes per hour.

Lighting was controlled to give 12 hours artificial light (8 a.m. - 8 p.m.) each day.

## **DIET**

Water and standard pelleted feed (Amrut feeds Ltd.) was freely available to the experimental rats.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

### **IDENTIFICATION OF ANIMALS**

Each cage was tagged having the details of animal group number, product name and the dosage level.

The animals were also marked with the help of marking ink.



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

**Confidential**

### **METHOD OF ADMINISTRATION**

The animals were normally fasted for 18 hours before and 4 hours after dosing. A batch of 5 male and 5 female rats was administered the test substance orally at the highest dose level of 5000 mg/kg body weight with the help of metallic cannula attached with tuberculin syringe. No mortality was observed in any sex at this dose level. So, no further testing was required.

The control group of animals was similarly treated with corn oil only.

#### **Frequency of administration**

The test article was administered once only following an overnight fast.



PROJECT : TOX-346  
PRODUCT : Bt COTTONSEEDS  
STUDY : ACUTE ORAL TOXICITY STUDY IN RATS  
REPORT NO. : 000041134  
DATE : 22.03.2007

Confidential

## CLINICAL LABORATORY STUDIES

The following clinical laboratory determinations were made in the animals of the test as well control groups.

### Blood sampling

3-5 ml of blood was withdrawn by cardiac puncture under light Carbon dioxide anesthesia prior to sacrifice.

### Haematology

Following haematological estimations were performed on control and treated group of animals using Beckman Coulter Haematology Analyser A<sup>c</sup>.T-diff.

Haematocrit (Hct)	Differential Leucocyte counts (DLC)
Haemoglobin (Hb)	Neutrophils (N)
Total Erythrocyte count (TEC)	Lymphocytes (L)
Platelet count	Basophils (B)
Total Leucocyte count (TLC)	Monocyte (M)
	Eosinophils (E)



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

### **Serum Biochemistry**

Following estimations were performed on control and treated rats using Hitachi Biochemistry Analyser 902 (Roche).

- (a) Blood sugar
- (b) Blood urea
- (c) Total protein (TP)
- (d) Albumin
- (e) Serum glutamic oxalo acetate transaminase (SGOT)
- (f) Serum glutamic pyruvic transaminase (SGPT)
- (g) Serum alkaline phosphatase (SAP)

### **SACRIFICE AND NECROPSY**

All the experimental animals were subjected to necropsy, whether they were sacrificed or died during study. All findings not considered normal were recorded.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

### **Histopathology**

Microscopic examination of the following tissues from all animals of the control and treated group were carried out :

Stomach	Brain
Ileum	Heart
Liver	Lungs
Spleen	Kidneys
Testis	Adrenals
Ovaries	Uterus

Any other macroscopically abnormal tissue.

### **BIO-STATISTICAL ANALYSIS**

Student's t-test.





**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

**Confidential**

## **RESULTS**

### **Mortality and toxic signs**

No mortality was recorded (Table- 1.01 &1.02) in the control and test groups Non-Bt Cottonseeds (Sample-I) and in Bt Cottonseeds (Sample -II) of animals. No toxic signs or symptoms (Table-1.03) were noticed in the control and in any test groups Non-bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample - II) of animals.

### **Mean body weights**

No significant differences were observed in the percentile body weight (Table 1.04-1.07 ) is noticed in control and test groups Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample -II) of animals.



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**Confidential**

---

### **Haematological evaluations**

There was no significant changes in haematological parameters (Tables 2.01-2.05 ) in control and test groups Non-bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) of animals. These parameters fell within the accepted limits of normal variations for albino rats.

### **Clinical biochemistry evaluations**

Serum Biochemistry evaluations (Tables 3.01-3.05) disclosed no significant differences in control and test groups Non-bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) of animals, as all the parameters fall with in the accepted limits of normal variations.

### **Organ Weight**

Absolute organ weights and their ratios (relative organ weights) with their respective body weights are shown in Table No. (4.01-4.10). No significant changes could be noticed in the organ weights of all the test groups Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) of animals of animals, when compared with the organ weights of control group animals.



**PROJECT : TOX-346**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ACUTE ORAL TOXICITY STUDY IN RATS**  
**REPORT NO. : 000041134**  
**DATE : 22.03.2007**

---

**Confidential**

### **Necropsy Finding**

Necropsy examination (Tables 5.01-5.03) did not reveal any significant gross pathological changes in any of the test groups Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) when compared with the control group of animals.

### **Histopathological Finding**

No remarkable histopathological changes (Tables 6.01-6.03) were noticed in the animals treated with Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) when compared with the control group (vehicle only) of animals.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE –1.01**  
**LD<sub>50</sub> ASSAY - MORTALITY DATA OF MALE RATS**

Dosage level mg/kg	Time of Death ( Days )														Cumulative Mortality	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14		
<b>CONTROL- DOSED WITH VEHICLE ONLY</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON –BT COTTONSEEDS ( SAMPLE-I )</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS ( SAMPLE-II )</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE –1.02**

**LD<sub>50</sub> ASSAY - MORTALITY DATA OF FEMALE RATS**

Dosage level mg/kg	Time of Death ( Days )														Cumulative Mortality	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14		
<b>CONTROL- DOSED WITH VEHICLE ONLY</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON –BT COTTONSEEDS ( SAMPLE-I )</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS ( SAMPLE-II )</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

No toxic signs & symptoms / mortality was observed in control group of animals.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

---

**TABLE - 1.03**

## SUMMARY OF OBSERVATIONS

(MALES & FEMALES)

<b>Group &amp; Dosage level (mg / kg B.wt)</b>	<b>Clinical Observations</b>	<b>Necropsy Observations</b>
Control group ( Vehicle only) was noticed.	No toxic signs or symptoms	No noteworthy findings 5000
Non-Bt Cottonseeds (Sample-I) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings
Bt Cottonseeds (Sample-II) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings

---

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 1.04**

**MEAN PERCENTILE BODY WEIGHT DATA OF RATS**

Group No.	Sex	Day 0	Day 7	Day 14	Sex	Day 0	Day 7	Day 14
<b>CONTROL</b>	<b>Male</b>	100.00 ± 0.00	103.83 ± 0.45	107.33 ± 0.78	<b>Female</b>	100.00 ± 0.00	104.40 ± 0.46	108.07 ± 0.76
	<b>NON-Bt COTTONSEEDS SAMPLE-I</b>	<b>Male</b>	100.00 ± 0.00	103.90 ± 0.56		107.46 ± 0.87	<b>Female</b>	100.00 ± 0.00
<b>Bt COTTONSEEDS SAMPLE-II</b>	<b>Male</b>	100.00 ± 0.00	104.17 ± 0.52	107.64 ± 0.85	<b>Female</b>	100.00 ± 0.00	104.39 ± 0.29	108.07 ± 0.31

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE – 1.05**

**WEEKLY PERCENTILE BODY WEIGHT DATA OF RATS**

GROUP : CONTROL - Vehicle only

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	100.00	103.93	107.87	1	F	100.00	104.94	108.64
2	M	100.00	103.39	106.78	2	F	100.00	104.09	107.60
3	M	100.00	103.91	106.70	3	F	100.00	104.85	109.09
4	M	100.00	103.43	106.86	4	F	100.00	104.17	107.74
5	M	100.00	104.49	108.43	5	F	100.00	103.93	107.30
Mean		100.00	103.83	107.33	Mean		100.00	104.40	108.07
± S.D.		± 0.00	± 0.45	± 0.78	± S.D.		± 0.00	± 0.46	± 0.76



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE – 1.0**

**WEEKLY PERCENTILE BODY WEIGHT DATA OF RATS**

GROUP : NON-Bt COTTONSEEDS (SAMPLE-I) DOSE : 5000 mg/kg b.wt.

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	100.00	103.91	107.26	1	F	100.00	104.94	108.02
2	M	100.00	103.33	107.22	2	F	100.00	104.14	107.69
3	M	100.00	103.95	106.78	3	F	100.00	104.79	108.98
4	M	100.00	104.79	108.98	4	F	100.00	104.24	107.88
5	M	100.00	103.53	107.06	5	F	100.00	103.73	108.07
Mean ± S.D.		100.00 ± 0.00	103.90 ± 0.56	107.46 ± 0.87	Mean ± S.D.		100.00 ± 0.00	104.37 ± 0.50	108.13 ± 0.50

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE – 1.07**  
**WEEKLY PERCENTILE BODY WEIGHT DATA OF RATS**  
 GROUP : Bt COTTONSEEDS (SAMPLE-II)

**DOSE : 5000 mg/kg b.wt.**

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	100.00	104.62	108.09	1	F	100.00	104.29	108.59
2	M	100.00	104.07	108.14	2	F	100.00	104.44	107.78
3	M	100.00	103.35	106.15	3	F	100.00	104.05	108.09
4	M	100.00	104.60	108.05	4	F	100.00	104.85	107.88
5	M	100.00	104.19	107.78	5	F	100.00	104.32	108.02
Mean ± S.D.		100.00 ± 0.00	104.17 ± 0.52	107.64 ± 0.85	Mean ± S.D.		100.00 ± 0.00	104.39 ± 0.29	108.07 ± 0.31

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE – 1.08**

**AVERAGE WEEKLY BODY WEIGHT( in grams) DATA OF RATS**

Group No.	Sex	Day 0	Day 7	Day 14	Sex	Day 0	Day 7	Day 14
<b>CONTROL</b>	<b>Male</b>	177.40 ± 1.52	184.20 ± 2.17	190.40 ± 2.41	<b>Female</b>	168.80 ± 6.14	176.20 ± 5.72	182.50 ± 5.59
	<b>NON-Bt COTTONSEEDS (SAMPLE-I)</b>	<b>Male</b>	174.60 ± 5.77	181.40 ± 5.46		187.60 ± 5.32	<b>Female</b>	164.80 ± 3.35
<b>Bt COTTONSEEDS (SAMPLE-II)</b>	<b>Male</b>	173.00 ± 4.30	180.20 ± 4.09	186.20 ± 3.77	<b>Female</b>	168.20 ± 7.70	176.00 ± 7.97	182.20 ± 8.04

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 1.09**

**WEEKLY BODY WEIGHT DATA (in gms) OF RATS**

GROUP : CONTROL - Vehicle only

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	178	185	192	1	F	162	170	176
2	M	177	183	189	2	F	171	178	184
3	M	179	186	191	3	F	165	173	180
4	M	175	181	187	4	F	168	175	181
5	M	178	186	193	5	F	178	185	191
Mean		177.40	184.20	190.40			168.80	176.20	182.50
± S.D.		± 1.52	± 2.17	± 2.41			± 6.14	± 5.72	± 5.59

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 1.10**

**WEEKLY BODY WEIGHT DATA (in gms) OF RATS**

GROUP : NON-Bt COTTONSEEDS (SAMPLE I)

DOSE : 5000 mg /kg b.wt.

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	179	186	192	1	F	162	170	175
2	M	180	186	193	2	F	169	176	182
3	M	177	184	189	3	F	167	175	182
4	M	167	175	182	4	F	165	172	178
5	M	170	176	182	5	F	161	167	174
Mean ± S.D.		174.60 ± 5.77	181.40 ± 5.46	187.60 ± 5.32	Mean ± S.D.		164.80 ± 3.35	172.00 ± 3.67	178.20 ± 3.77

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 1.11**

**WEEKLY BODY WEIGHT DATA (in gms) OF RATS**

GROUP : Bt COTTONSEEDS (SAMPLE II)

DOSE : 5000 mg /kg b.wt.

S.No.	Sex	Day 0	Day 7	Day14	S.No.	Sex	Day 0	Day 7	Day14
1	M	173	181	187	1	F	163	170	177
2	M	172	179	186	2	F	180	188	194
3	M	179	185	190	3	F	173	180	187
4	M	174	182	188	4	F	165	173	178
5	M	167	174	180	5	F	168	169	175
Mean ± S.D.		173.00 ± 4.30	180.20 ± 4.09	186.20 ± 3.77	Mean ± S.D.		168.20 ± 7.70	176.00 ± 7.97	182.20 ± 8.04

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 2.01**

MEAN HAEMATOLOGY DATA OF MALE RATS

Parameters	Control (Vehicle only)	Non-Bt Cottonseeds( Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds( Sample II) 5000 mg /kg b.wt.
<b>WBC ( X10<sup>5</sup> )</b>	<b>7.80 ± 1.67</b>	<b>7.48 ± 1.17</b>	<b>7.78 ± 1.23</b>
<b><u>Differential</u> Lymphocytes %</b>	<b>84.60 ± 1.14</b>	<b>82.60 ± 2.88</b>	<b>83.00 ± 2.74</b>
<b>Neutrophils %</b>	<b>14.20 ± 0.84</b>	<b>15.80 ± 2.86</b>	<b>15.20 ± 2.59</b>
<b>Eosinophils %</b>	0.60 ± 0.55	1.00 ± 0.00	0.80 ± 0.45
Monocytes %	0.60 ± 0.55	0.60 ± 0.55	1.00 ± 0.00
Basophils %	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00
R.B.C. (x10 <sup>6</sup> ) %	8.14 ± 0.48	8.24 ± 0.42	8.58 ± 0.54
Hb (gm % )	15.78 ± 1.12	15.30 ± 0.54	15.86 ± 1.12
Hct %	46.70 ± 3.98	45.60 ± 2.25	47.18 ± 3.08
Platelets (x10 <sup>3</sup> )	8.78 ± 0.73	9.64 ± 0.84	9.52 ± 0.53

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

TABLE – 2.02

### MEAN HAEMATOLOGY DATA OF FEMALE RATS

Parameters	Control (Vehicle only)	Non-Bt Cottonseeds( Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds( Sample II) 5000 mg /kg b.wt.
<b>WBC ( X10<sup>3</sup> )</b>	<b>7.37 ± 1.52</b>	<b>6.94 ± 1.38</b>	<b>7.19 ± 1.14</b>
<b><u>Differential</u> Lymphocytes %</b>	<b>77.81 ± 1.58</b>	<b>76.04 ± 1.92</b>	<b>76.73 ± 2.74</b>
<b>Neutrophils %</b>	<b>12.92 ± 1.79</b>	<b>14.64 ± 2.70</b>	<b>13.98 ± 3.11</b>
<b>Eosinophils %</b>	0.60 ± 0.55	0.92 ± 0.71	0.69 ± 0.55
Monocytes %	0.60 ± 0.55	0.60 ± 0.55	0.75 ± 0.55
Basophils %	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00
R.B.C. (x10 <sup>6</sup> ) %	7.48 ± 0.30	7.41 ± 0.50	7.83 ± 0.36
Hb (gm % )	14.66 ± 0.58	13.92 ± 0.68	14.61 ± 0.66
Hct %	43.74 ± 2.19	41.21 ± 2.50	43.37 ± 1.63
Platelets (x10 <sup>3</sup> )	8.52 ± 1.27	8.92 ± 1.66	9.00 ± 1.56



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 2.03**

*HAEMATOLOGY DATA OF RATS*

**GROUP: Control**

DIFFERENTIAL											
Animal No.	Sex	WBC Count (x 10 <sup>3</sup> )	L%	N%	E%	M%	B%	RBC Count (x 10 <sup>6</sup> )	Hb gm %	Hct %	Platelet Count (x 10 <sup>5</sup> )
1	M	6.5	84.0	15.0	0.0	1.0	0.0	8.5	16.6	49.8	8.4
2	M	8.9	85.0	14.0	1.0	0.0	0.0	8.5	16.5	49.5	9.4
3	M	10.2	86.0	13.0	0.0	1.0	0.0	8.4	16.3	48.5	7.7
4	M	6.9	83.0	15.0	1.0	1.0	0.0	7.4	13.9	40.3	9.0
5	M	6.5	85.0	14.0	1.0	0.0	0.0	7.9	15.6	45.4	9.4
Mean		7.80	84.60	14.20	0.60	0.60	0.00	8.14	15.78	46.70	8.78
±		±	±	±	±	±	±	±	±	±	±
S.D		1.67	1.14	0.84	0.55	0.55	0.00	0.48	0.12	3.98	0.73
1	F	7.6	85.0	14.0	1.0	0.0	0.0	7.6	15.0	44.5	11.0
2	F	6.8	86.0	12.0	1.0	1.0	0.0	8.2	16.1	49.2	11.2
3	F	8.5	84.0	16.0	0.0	0.0	0.0	8.4	16.3	48.9	9.3
4	F	6.7	87.0	12.0	0.0	1.0	0.0	8.2	16.3	47.9	8.9
5	F	10.4	83.0	15.0	1.0	1.0	0.0	8.0	16.4	50.2	8.4
Mean		7.37	77.81	12.92	0.60	0.60	0.00	7.48	14.66	43.74	8.52
±		±	±	±	±	±	±	±	±	±	±
S.D		1.52	1.58	1.79	0.55	0.55	0.00	0.30	0.58	2.19	1.27

**L = Lymphocytes**

**N = Neutrophils**

**E = Eosinophils**

**M = Monocytes**

**B = Basophils**

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

TABLE - 2.04

**HAEMATOLOGY DATA OF RATS**

**GROUP: NON-Bt COTTONSEEDS ( SAMPLE I) DOSE : 5000 mg /kg b.wt**

<b>DIFFERENTIAL</b>											
<b>Animal No.</b>	<b>Sex</b>	<b>WBC Count (x 10<sup>3</sup>)</b>	<b>L%</b>	<b>N%</b>	<b>E%</b>	<b>M%</b>	<b>B%</b>	<b>RBC Count (x 10<sup>6</sup>)</b>	<b>Hb gm %</b>	<b>Hct %</b>	<b>Platelet Count (x 10<sup>5</sup>)</b>
1	M	6.2	85.0	14.0	1.0	0.0	0.0	7.6	14.5	42.0	9.5
2	M	8.7	82.0	16.0	1.0	1.0	0.0	8.4	15.6	46.8	9.1
3	M	8.4	81.0	18.0	1.0	0.0	0.0	8.7	15.6	47.8	9.1
4	M	6.3	79.0	19.0	1.0	1.0	0.0	8.1	15	45.0	11.1
5	M	7.8	86.0	12.0	1.0	1.0	0.0	8.4	15.8	46.4	9.4
Mean		7.48	82.60	15.80	1.00	0.60	0.00	8.24	15.30	45.60	9.64
±		±	±	±	±	±	±	±	±	±	±
S.D		1.17	2.88	2.86	0.00	0.55	0.00	0.42	0.54	2.25	0.84
1	F	6.1	80.0	19.0	1.0	0.0	0.0	7.1	14	40.1	10.7
2	F	8.2	84.0	14.0	1.0	1.0	0.0	7.6	14.6	42.8	8.9
3	F	6.3	82.0	17.0	1.0	0.0	0.0	7.9	15.1	43.8	8.3
4	F	7.2	83.0	16.0	0.0	1.0	0.0	8.4	15.8	45.4	8.4
5	F	9.4	85.0	12.0	2.0	1.0	0.0	8.1	15.2	46.6	12.1
Mean		6.94	76.04	14.64	0.92	0.60	0.00	7.41	13.92	41.21	8.92
±		±	±	±	±	±	±	±	±	±	±
S.D		1.38	1.92	2.70	0.71	0.55	0.00	0.50	0.68	2.50	1.66

L = Lymphocytes

N = Neutrophils

E = Eosinophils

M = Monocytes

B = Basophils

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 2.05**

*HAEMATOLOGY DATA OF RATS*

**GROUP: Bt COTTONSEEDS ( SAMPLE II) DOSE : 5000 mg /kg b.wt**

<b>DIFFERENTIAL</b>											
Animal No.	Sex	WBC Count (x 10 <sup>3</sup> )	L%	N%	E%	M%	B%	RBC Count (x 10 <sup>6</sup> )	Hb gm %	Hct %	Platelet Count (x 10 <sup>5</sup> )
1	M	9.4	79	19	1	1	00	8	14.2	42.6	9.3
2	M	7.6	82	16	1	1	00	9.1	16.6	49.8	8.8
3	M	6	86	12	1	1	00	8.8	16.7	48.1	9.5
4	M	7.7	83	15	1	1	00	8	15.2	45.6	9.8
5	M	8.2	85	14	0	1	00	9	16.6	49.8	10.2
Mean		7.78	83.00	15.20	0.80	1.00	0.00	8.58	15.86	47.18	9.52
±		±	±	±	±	±	±	±	±	±	±
S.D		1.23	2.74	2.59	0.45	0.00	0.00	0.54	1.12	3.08	0.53
1	F	6.7	88	10	1	1	01	8.9	15.9	46.7	10.5
2	F	6.5	82	18	0	0	05	8	15.4	46.2	12.5
3	F	7.8	81	17	1	1	00	8.5	16.9	49.7	9.6
4	F	8.1	84	15	1	0	01	8.1	15.2	45.6	9.3
5	F	9.3	85	14	0	1	02	8.4	15.7	46.1	8.4
Mean		7.19	76.73	13.98	0.69	0.75	0.00	7.83	14.61	43.37	9.00
±		±	±	±	±	±	±	±	±	±	±
S.D		1.14	2.74	3.11	0.55	0.55	0.00	0.36	0.66	1.63	1.56

L = Lymphocytes

N = Neutrophils

E = Eosinophils

M = Monocytes

B = Basophils

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 3.01**

**MEAN BIOCHEMISTRY DATA ON MALE RATS**

Parameters	Control (Vehicle only)	Non-Bt Cottonseeds( Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds( Sample II) 5000 mg /kg b.wt.
<b>Urea (mg %)</b>	39.58 ± 5.09	44.30± 7.05	33.04 ± 4.14
<b>Glucose (mg %)</b>	134.80 ± 4.35	121.20 ± 29.50	147.20 ± 32.46
<b>Total Protein (gm %)</b>	6.78 ± 0.26	7.30 ± 0.49	7.12 ± 0.50
<b>S.G.P.T (I.U)</b>	61.90 ± 4.06	57.22 ± 11.01	58.30 ± 9.30
<b>S.G.O.T (I.U)</b>	64.90 ± 13.66	53.84 ± 5.85	65.02 ± 9.24
<b>Albumin (gm %)</b>	3.84 ± 0.29	4.22 ± 0.33	4.18 ± 0.37
<b>SAP (I.U)</b>	91.80 ± 17.63	66.00 ± 14.63	66.80 ± 19.37
<b>Cholestrol (mg %)</b>	49.00 ± 5.48	57.00 ± 11.81	52.60 ± 7.54

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 3.02**

**MEAN BIOCHEMISTRY DATA ON FEMALE RATS**

Parameters	Control (Vehicle only)	Non-Bt Cottonseeds ( Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds ( Sample II) 5000 mg /kg b.wt.
<b>Urea (mg %)</b>	30.70 ± 2.10	34.06 ± 3.02	36.68 ± 4.89
<b>Glucose (mg %)</b>	173.60 ± 27.13	128.20 ± 26.01	163.20 ± 22.38
<b>Total Protein (gm %)</b>	7.16 ± 0.63	7.76 ± 0.34	7.16 ± 0.75
<b>S.G.P.T (I.U)</b>	41.92 ± 12.03	52.18 ± 7.38	53.68 ± 11.37
<i>S.G.O.T (I.U)</i>	51.38 ± 4.40	64.82 ± 12.36	61.50 ± 2.93
<b>Albumin (gm %)</b>	4.32 ± 0.31	4.22 ± 0.26	4.24 ± 0.42
<b>SAP (I.U)</b>	67.40 ± 10.88	79.60 ± 10.45	73.60 ± 8.96
<b>Cholestrol (mg %)</b>	68.80 ± 9.81	64.00 ± 7.62	61.80 ± 9.26

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 3.03**

**BIOCHEMISTRY DATA OF RATS (VEHICLE ONLY)**

*GROUP : CONTROL*

Animal No.	Sex	Urea (mg %)	Glucose (mg %)	Total Protein ( gm%)	S.G.P.T I.U.	S.G.O.T I.U.	Cholestrol (mg%)	Albumin ( gm%)	SAP I.U.
1	M	40.9	172	7.1	6.8	68.8	45	4.2	115
2	M	46.3	192	6.4	7.5	47.4	57	3.7	102
3	M	35	97	6.7	8.1	79.4	49	3.6	90
4	M	34	116	6.8	6.6	54.1	51	3.6	69
5	M	41.7	97	6.9	6.8	74.8	43	4.1	83
Mean		39.58	134.80	6.78	61.90	64.90	49.00	3.84	91.80
± S.D		± 5.09	± 44.35	± 0.26	± 4.06	± 13.66	± 5.48	± 0.29	± 17.63
1	F	32.7	184	6.8	41.7	43.7	67	4.3	56
2	F	32.2	203	7.5	56.6	55	64	3.8	79
3	F	28.8	141	8.1	48.8	52.8	59	4.6	79
4	F	31.7	149	6.6	24.6	52.7	69	4.4	63
5	F	28.1	191	6.8	37.9	52.7	85	4.5	60
Mean		30.70	173.60	7.16	41.92	51.38	68.80	4.32	67.40
± S.D		± 2.10	± 27.13	± 0.63	± 12.03	± 4.40	± 9.81	± 0.31	± 10.88

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 3.04**

**BIOCHEMISTRY DATA OF RATS**

**GROUP: NON-Bt COTTONSEEDS ( SAMPLE I) DOSE : 5000 mg /kg b.wt**

Animal No.	Sex	Urea (mg %)	Glucose (mg %)	Total Protein ( gm%)	S.G.P.T I.U.	S.G.O.T I.U.	Cholestrol (mg%)	Albumin ( gm%)	SAP I.U.
1	M	34.2	87	7.3	49.2	48.4	41	3.7	61
2	M	44.3	141	6.9	66.1	61.3	54	4.5	83
3	M	45.1	141	8.1	41.9	53.5	66	4.1	59
4	M	54.1	91	7.3	63.3	58	71	4.3	79
5	M	43.8	146	6.9	65.6	48	53	4.5	48
Mean		44.30	121.20	7.30	57.22	53.84	57.00	4.22	66.00
±		±	±	±	±	±	±	±	±
S.D		7.05	29.50	0.49	11.01	5.85	11.81	4.22	14.63
1	F	30.7	149	7.8	56.8	54.6	51	4.6	89
2	F	33.5	132	7.8	52.3	62.5	66	4.2	84
3	F	36.2	100	8.1	46.5	85.6	71	3.9	86
4	F	38	103	7.9	61.7	56.5	67	4.1	76
5	F	31.9	157	7.2	43.6	64.9	65	4.3	63
Mean		34.06	128.20	7.76	52.18	64.82	64.00	4.22	79.60
±		±	±	±	±	±	±	±	±
S.D		3.02	26.01	0.34	7.38	12.36	7.62	0.26	10.45

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 3.05**

**BIOCHEMISTRY DATA OF RATS**

**GROUP: Bt COTTONSEEDS ( SAMPLE II) DOSE : 5000 mg /kg b.wt**

Animal No.	Sex	Urea (mg %)	Glucose (mg %)	Total Protein ( gm%)	S .G.P.T I.U.	S.G.O.T I.U.	Cholestrol (mg%)	Albumin ( gm%)	SAP I.U.
1	M	32.4	147	7.3	43.2	58.6	65	4.4	100
2	M	32.3	144	7.9	59.3	70.7	53	4.7	68
3	M	38.9	106	6.7	66	57	49	3.9	56
4	M	34.2	142	6.7	65.8	60.3	45	3.8	56
5	M	27.4	197	7	57.2	78.5	51	4.1	54
Mean		33.04	147.20	7.12	58.30	65.02	52.60	4.18	66.80
±		±	±	±	±	±	±	±	±
S.D		4.14	32.46	0.50	9.30	9.24	7.54	0.37	19.37
1	F	34.3	142	6.8	65.4	63.6	48	3.9	76
2	F	45.3	192	6.4	62.1	57.6	57	3.7	64
3	F	33.9	181	6.8	38.4	60.3	67	4.4	78
4	F	34	157	7.5	45.6	60.9	71	4.5	85
5	F	35.9	144	8.3	56.9	65.1	66	4.7	65
Mean		36.68	163.20	7.16	53.68	61.50	61.80	4.24	73.60
±		±	±	±	±	±	±	±	±
S.D		4.89	22.38	0.75	11.37	2.93	9.26	0.42	8.96



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.01**

**MEAN PERCENTILE ORGAN WEIGHT DATA OF MALE RATS**

Dosage Group	Mean body wt. (gm)	Lung (gm)	Liver (gm)	Kidney (gm)	Testis (gm)	Adrenal (gm)	Heart (gm)	Spleen (gm)	Brains (gm)
<b>Control (Vehicle only)</b>	190.4 ± 2.41	0.80 ± 0.02	4.15 ± 0.33	0.95 ± 0.01	1.48 ± 0.01	0.03 ± 0.00	0.43 ± 0.02	0.29 ± 0.02	1.02 ± 0.01
<b>Non-Bt Cotton seeds SAMPLE-I 5000 mg/kg b.wt</b>	187.6 ± 5.32	0.78 ± 0.04	4.12 ± 0.25	0.90 ± 0.09	1.43 ± 0.03	0.04 ± 0.01	0.42 ± 0.02	0.29 ± 0.03	1.02 ± 0.01
<b>Bt Cotton seeds SAMPLE-II 5000 mg/kg b.wt</b>	86.2 ± 3.77	0.77 ± 0.03	4.23 ± 0.30	0.91 ± 0.06	1.46 ± 0.02	0.04 ± 0.00	0.42 ± 0.01	0.27 ± 0.01	1.02 ± 0.02

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.02**

**MEAN PERCENTILE ORGAN WEIGHT DATA OF FEMALE RATS**

Dosage Group	Mean body wt. (gm)	Lung (gm)	Liver (gm)	Kidney (gm)	Ovary (gm)	Utreus (gm)	Adrenal (gm)	Heart (gm)	Spleen (gm)	Brains (gm)
<b>Control (Vehicle only)</b>	182.5 ± 5.59	0.74 ± 0.02	4.17 ± 0.06	0.80 ± 0.03	0.08 ± 0.01	0.13 ± 0.02	0.04 ± 0.00	0.43 ± 0.02	0.26 ± 0.02	1.02 ± 0.02
<b>Non-Bt Cotton seeds SAMPLE-I 5000 mg/kg b.wt</b>	178.2 ± 3.77	0.73 ± 0.02	4.21 ± 0.06	0.79 ± 0.01	0.07 ± 0.01	0.12 ± 0.02	0.04 ± 0.01	0.41 ± 0.01	0.25 ± 0.02	1.02 ± 0.01
<b>Bt Cotton seeds SAMPLE-II 5000 mg/kg b.wt</b>	182.2 ± 8.04	0.74 ± 0.01	4.15 ± 0.10	0.79 ± 0.04	0.08 ± 0.01	0.12 ± 0.01	0.04 ± 0.00	0.42 ± 0.02	0.26 ± 0.03	1.01 ± 0.02

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.03**  
**AVERAGE ORGAN WEIGHT DATA OF MALE RATS**

Dosage Group	Mean body wt. (gm)	Lung (gm)	Liver (gm)	Kidney (gm)	Testis (gm)	Adrenal (gm)	Heart (gm)	Spleen (gm)	Brains (gm)
<b>Control (Vehicle only)</b>	190.4 ± 2.41	1.51 ± 0.05	7.90 ± 0.54	1.81 ± 0.04	2.82 ± 0.05	0.06 ± 0.001	0.82 ± 0.04	0.55 ± 0.04	1.93 ± 0.04
<b>Non-Bt Cotton seeds SAMPLE-I 5000 mg/kg b.wt</b>	187.6 ± 5.32	1.47 ± 0.11	7.72 ± 0.44	1.69 ± 0.21	2.72 ± 0.13	0.07 ± 0.01	0.79 ± 0.05	0.54 ± 0.07	1.91 ± 0.06
<b>Bt Cotton seeds SAMPLE-II 5000 mg/kg b.wt</b>	186.2 ± 3.77	1.44 ± 0.08	7.87 ± 0.54	1.70 ± 0.14	2.73 ± 0.08	0.07 ± 0.01	0.77 ± 0.03	0.51 ± 0.02	1.89 ± 0.04

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.04**  
**AVERAGE ORGAN WEIGHT DATA OF FEMALE RATS**

Dosage Group	Mean body wt. (gm)	Lung (gm)	Liver (gm)	Kidney (gm)	Ovary (gm)	Uterus (gm)	Adrenal (gm)	Heart (gm)	Spleen (gm)	Brains (gm)
<b>Control (Vehicle only)</b>	182.50 ± 5.59	1.36 ± 0.08	7.60 ± 0.14	1.47 ± 0.09	0.14 ± 0.03	0.24 ± 0.04	0.07 ± 0.01	0.78 ± 0.06	0.48 ± 0.05	1.87 ± 0.02
<b>Non-Bt Cotton seeds SAMPLE-I 5000 mg/kg b.wt</b>	178.2 ± 3.77	1.30 ± 0.05	7.50 ± 0.06	1.41 ± 0.05	0.12 ± 0.02	0.21 ± 0.03	0.07 ± 0.01	0.73 ± 0.03	0.44 ± 0.05	1.82 ± 0.06
<b>Bt Cotton seeds SAMPLE-II 5000 mg/kg b.wt</b>	182.2 ± 8.04	1.35 ± 0.09	7.56 ± 0.14	1.45 ± 0.12	0.14 ± 0.02	0.22 ± 0.04	0.07 ± 0.01	0.78 ± 0.07	0.47 ± 0.09	1.85 ± 0.07

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.05**  
 ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF MALE RATS  
 GROUP: CONTROL (VEHICLE ONLY)

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		GONADS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt
1	M	192	1.55	0.81	7.51	3.91	1.83	0.95	2.85	1.48	0.06	0.03	0.84	0.44	0.57	0.3	1.96	1.02
2	M	189	1.47	0.78	8.50	4.5	1.79	0.95	2.79	1.48	0.06	0.03	0.80	0.42	0.52	0.28	1.90	1.01
3	M	191	1.53	0.8	7.48	3.92	1.80	0.94	2.83	1.48	0.05	0.03	0.84	0.44	0.55	0.29	1.94	1.02
4	M	187	1.45	0.78	8.47	4.50	1.75	0.94	2.75	1.47	0.05	0.03	0.77	0.41	0.50	0.27	1.88	1.01
5	M	193	1.57	0.81	7.52	3.90	1.86	0.96	2.87	1.49	0.07	0.04	0.87	0.45	0.59	0.31	1.98	1.03
Mean		190.40	1.51	0.80	7.90	4.15	1.81	0.95	2.82	1.48	0.06	0.03	0.82	0.43	0.55	0.29	1.93	1.02
± S.D.		± 2.41	± 0.05	± 0.02	± 0.54	± 0.32	± 0.04	± 0.01	± 0.05	± 0.01	± 0.001	± 0.001	± 0.04	± 0.02	± 0.04	± 0.02	± 0.04	± 0.01

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.06**  
 ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF MALE RATS  
 NON-Bt COTTONSEEDS (SAMPLE I) DOSE : 5000 mg /kg b.wt.

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		GONADS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt
1	M	192	1.56	0.81	7.50	3.91	1.85	0.96	2.83	1.47	0.07	0.04	0.83	0.43	0.61	0.32	1.95	1.02
2	M	193	1.58	0.82	7.51	3.89	1.87	0.97	2.85	1.4	0.08	0.04	0.85	0.44	0.60	0.31	1.99	1.03
3	M	189	1.47	0.78	8.51	4.5	1.80	0.95	2.78	1.47	0.06	0.03	0.81	0.43	0.53	0.28	1.92	1.02
4	M	182	1.37	0.75	7.52	4.13	1.46	0.80	2.57	1.41	0.07	0.04	0.73	0.4	0.48	0.26	1.84	1.01
5	M	182	1.35	0.74	7.55	4.15	1.45	0.80	2.59	1.42	0.06	0.03	0.74	0.41	0.47	0.26	1.85	1.02
Mean ± S.D.		187.60 ± 5.32	1.47 ± 0.11	0.78 ± 0.04	7.72 ± 0.27	4.12 ± 0.25	1.69 ± 0.21	0.90 ± 0.09	2.72 ± 0.13	1.43 ± 0.03	0.07 ± 0.008	0.04 ± 0.01	0.79 ± 0.05	0.42 ± 0.02	0.54 ± 0.07	0.29 ± 0.03	1.91 ± 0.06	1.02 ± 0.01

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE- 4.07**  
**ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF MALE RATS**

Bt COTTONSEEDS (SAMPLE II) DOSE : 5000 mg /kg b.wt.

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		GONADS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt.in gm	% Bod y wt	Wt.in gm	% Body wt	Wt.i n gm	% Body wt	Wt.in gm	% Bod y wt	Wt.i n gm	% Body wt	Wt.i n gm	% Body wt	Wt.i n gm	% Bod y wt	Wt.i n gm	% Bod y wt
1	M	187	1.46	0.78	8.46	4.52	1.74	0.93	2.76	1.48	0.08	0.04	0.76	0.41	0.51	0.27	1.87	1.00
2	M	186	1.45	0.78	8.44	4.54	1.72	0.92	2.73	1.40	0.07	0.04	0.74	0.40	0.50	0.27	1.84	0.99
3	M	190	1.51	0.79	7.46	3.93	1.80	0.95	2.80	1.47	0.08	0.04	0.81	0.43	0.54	0.28	1.95	1.03
4	M	188	1.49	0.79	7.41	3.94	1.79	0.95	2.75	1.46	0.07	0.04	0.79	0.42	0.51	0.27	1.90	1.01
5	M	180	1.31	0.73	7.56	4.20	1.45	0.81	2.59	1.44	0.07	0.04	0.76	0.42	0.50	0.28	1.89	1.05
Mean ± S.D.		186.2 ± 3.77	1.49 ± 0.04	0.77 ± 0.03	7.87 ± 0.54	4.23 ± 0.30	1.70 ± 0.14	0.91 ± 0.06	2.73 ± 0.08	1.46 ± 0.02	0.07 ± 0.01	0.04 ± 0.00	0.77 ± 0.03	0.42 ± 0.01	0.51 ± 0.02	0.27 ± 0.01	1.89 ± 0.04	1.02 ± 0.02

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.08**

**ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF FEMALE RATS**  
**GROUP : CONTROL (VEHICLE ONLY)**

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		OVARY		UTREUS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt	Wt.in gm	% Body wt
1	F	176	1.27	0.72	7.46	4.24	1.38	0.78	0.10	0.06	0.19	0.11	0.06	0.03	0.72	0.41	0.41	0.23	1.79	1.02
2	F	184	1.38	0.75	7.61	4.14	1.48	0.80	0.19	0.10	0.30	0.16	0.08	0.04	0.80	0.43	0.52	0.28	1.92	1.04
3	F	180	1.32	0.73	7.53	4.18	1.42	0.79	0.12	0.07	0.23	0.13	0.08	0.04	0.76	0.42	0.47	0.26	1.85	1.03
4	F	181	1.34	0.74	7.56	4.18	1.44	0.80	0.14	0.08	0.26	0.14	0.07	0.04	0.77	0.43	0.49	0.27	1.88	1.04
5	F	191	1.48	0.77	7.82	4.09	1.62	0.85	0.15	0.08	0.22	0.12	0.08	0.04	0.87	0.46	0.53	0.28	1.89	0.99
Mean ± S.D.		182.5 0 ± 6.90	1.36 ± 0.08	0.74 ± 0.02	7.60 ± 0.14	4.17 ± 0.06	1.47 ± 0.09	0.80 ± 0.03	0.14 ± 0.03	0.08 ± 0.01	0.24 ± 0.04	0.13 ± 0.02	0.07 ± 0.01	0.04 ± 0.00	0.78 ± 0.06	0.43 ± 0.02	0.48 ± 0.05	0.26 ± 0.02	0.87 ± 0.05	1.02 ± 0.02



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.09**  
**ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF FEMALE RATS**  
**NON-Bt COTTONSEEDS (SAMPLE I) DOSE : 5000 mg /kg b.wt.**

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		OVARY		UTREUS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt .in gm	% Body wt	Wt .in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Body wt	Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Body wt
1	F	175	1.26	0.72	7.45	4.26	1.38	0.79	0.11	0.06	0.19	0.11	0.06	0.03	0.71	0.41	0.41	0.23	1.77	1.01
2	F	182	1.36	0.75	7.56	4.15	1.48	0.81	0.13	0.07	0.25	0.14	0.08	0.04	0.76	0.42	0.50	0.27	1.8	1.03
3	F	182	1.35	0.74	7.57	4.16	1.46	0.80	0.15	0.08	0.24	0.13	0.07	0.04	0.77	0.42	0.49	0.27	1.89	1.04
4	F	178	1.30	0.73	7.49	4.21	1.39	0.78	0.12	0.07	0.20	0.11	0.07	0.04	0.73	0.41	0.43	0.24	1.79	1.01
5	F	174	1.24	0.71	7.44	4.28	1.36	0.78	0.11	0.06	0.17	0.10	0.06	0.03	0.69	0.40	0.38	0.22	1.75	1.01
Mean ± S.D.		178.2 ± 3.77	1.30 ± 0.05	0.73 ± 0.02	7.50 ± 0.06	4.21 ± 0.06	1.41 ± 0.05	0.79 ± 0.01	0.12 ± 0.02	0.07 ± 0.01	0.21 ± 0.03	0.12 ± 0.02	0.07 ± 0.01	0.04 ± 0.01	0.73 ± 0.03	0.41 ± 0.01	0.44 ± 0.05	0.25 ± 0.02	1.82 ± 0.06	1.02 ± 0.01

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 4.10**  
**ABSOLUTE & RELATIVE ORGAN WEIGHT DATA OF FEMALE RATS**  
**Bt COTTONSEEDS (SAMPLE II) DOSE : 5000 mg /kg b.wt..**

Animal No	Sex	Body Weight in gms	LUNG		LIVER		KIDNEY		OVARY		UTREUS		ADRENAL		HEART		SPLEEN		BRAIN	
			Wt. in gm	% Bod y wt	Wt .in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt .in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt	Wt. in gm	% Bod y wt
1	F	177	1.30	0.73	7.47	4.22	1.35	0.76	0.12	0.07	0.19	0.11	0.07	0.04	0.72	0.41	0.40	0.23	1.81	1.02
2	F	194	1.48	0.76	7.79	4.02	1.64	0.85	0.17	0.09	0.28	0.14	0.08	0.04	0.89	0.46	0.59	0.30	1.93	0.99
3	F	187	1.39	0.74	7.59	4.06	1.50	0.80	0.16	0.09	0.25	0.13	0.08	0.04	0.0	0.43	0.53	0.28	1.92	1.03
4	F	178	1.31	0.74	7.50	4.21	1.37	0.77	0.13	0.07	0.21	0.12	0.07	0.04	0.75	0.42	0.43	0.24	1.80	1.01
5	F	175	1.26	0.72	7.44	4.25	1.39	0.79	0.12	0.07	0.19	0.11	0.06	0.03	0.73	0.40	0.40	0.23	1.78	1.02
Mean ± S.D.		182.2 ± 8.04	1.35 ± 0.09	0.74 ± 0.01	7.56 ± 0.14	4.15 ± 0.10	1.45 ± 0.12	0.79 ± 0.04	0.14 ± 0.02	0.08 ± 0.01	0.22 ± 0.04	0.12 ± 0.01	0.07 ± 0.01	0.04 ± 0.00	0.78 ± 0.07	0.42 ± 0.02	0.47 ± 0.09	0.26 ± 0.03	1.85 ± 0.07	1.01 ± 0.02

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 5.01**  
**INTENSITY OF GROSS PATHOLOGICAL LESIONS**  
**GROUP-CONTROL (VEHICLE ONLY) IN RATS**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	Mild dis- colouration	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointesti- nal Tract</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE -5.02**  
**INTENSITY OF GROSS PATHOLOGICAL LESIONS**  
**NON-Bt COTTONSEEDS (SAMPLE I) DOSE : 5000 mg /kg b.wt.**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	NAD	Mild dis- colouration	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointesti- -nal Tracts</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE -5.03**

**INTENSITY OF GROSS PATHOLOGICAL LESIONS**

**Bt COTTONSEEDS (SAMPLE II) DOSE : 5000 mg /kg b.wt.**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	NAD	NAD	NAD	NAD	NAD	Mild dis-colouration	NAD	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointestinal Tracts</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE - 6.01**  
**INTENSITY OF HISTOPATHOLOGICAL LESIONS**  
**GROUP-CONTROL (VEHICLE ONLY) IN RATS**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	Focal fatty changes	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointestinal Tract</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE -6.02**

**INTENSITY OF HISTOPATHOLOGICAL LESIONS**  
**NON-Bt COTTONSEEDS (SAMPLE I) DOSE : 5000 mg /kg b.wt.**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	Mild inflammatory changes	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointesti -nal Tracts</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ACUTE ORAL TOXICITY STUDY IN RATS  
**REPORT NO.** : 000041134  
**DATE** : 22.03.2007

**TABLE -6.03**  
**INTENSITY OF HISTOPATHOLOGICAL LESIONS**  
**Bt COTTONSEEDS (SAMPLE II) DOSE : 5000 mg /kg b.wt.**

ANIMAL NO.										
ORGAN	MALE RATS					FEMALE RATS				
	1	2	3	4	5	1	2	3	4	5
<b>Lungs</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Liver</b>	NAD	NAD	NAD	NAD	Focal fatty changes	NAD	NAD	NAD	NAD	NAD
<b>Heart</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gonads</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Spleen</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Kidney</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Brain</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Adrenal</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD
<b>Gastrointestinal Tracts</b>	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD	NAD

NAD- No Abnormal Development





# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

An ISO - 9001:2000 Certified Institute

## TEST CERTIFICATE

000041134

**Issued to :**

METAHELIX LIFE SCIENCES PVT. LTD.  
PLOT NO. 3, KIADB 4TH PHASE,  
BOMMASANDRA  
BANGALORE - 560099KARNATAKA

**J.O.No.**

TOX/346 A

**Reg.No.**

4612570

**Date**

22-03-2007

GC-01 (REV-04)

**Your Ref.No.**

--

**Kind Attn: DR. M.J. VASUDEVA RAO , PRESIDENT**

**Sample Particulars :**

**Date**

One sample of "Bt Cottonseeds" was received for acute oral toxicity study in wistar rats.

**Material Description**

: Non-Bt Cottonseeds (Sample-I)- Yellowish brown coloured powder  
Bt Cottonseeds (Sample-II)- Yellowish brown coloured powder.

**Sponsor**

: Metahelix Life Sciences Private Limited  
Plot no.3, KIADB 4<sup>th</sup> Phase, Bommasandra,  
Bangalore-560 099, India.

### TEST RESULTS

**Acute Oral toxicity study in wistar rats**

Under the conditions of this study, the single oral administration of 'Bt Cottonseeds (Sample-II)' at the dose level of 5000 mg/kg B.wt. did not induce any treatment related observable toxic effects, when compared to its corresponding Non-Bt Cottonseeds (Sample-I) and the control group of animals treated with corn oil (vehicle) only.


The sample has been conducted as per DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts.

(Annexure enclosed)

\*\*\*\*

DOR : 06-11-2006

DOC : 22-03-2007

  
22/3/07  
AUTHORISED SIGNATORY  
(EMPLOYEE CODE: 6006)

19, University Road, Delhi - 110007.

E-Mail: [qad@shriraminstitute.org](mailto:qad@shriraminstitute.org) Website: <http://www.shriraminstitute.org>

Ph: 91-11-27667267, 27667983, 27667860

Fax: 91-11-27667676, 27667207

### PCR & ELISA CONFIRMATION OF BIOSAFETY COTTONSEED MATERIAL

Objective: Quality Control of the cottonseed material from cry1C-9124 based intrahirsutum hybrids to be used for the biosafety studies; despatched on 11<sup>th</sup> September 2006.


1. Confirmation of transgenic nature by PCR specific to the transgene
2. Confirmation of presence of Cry1C protein and its quantitation by ELISA

#### PCR confirmation

PCR was performed on Eppendorf Mastercycler Gradient machine with the following primers:

Upper: 5'-CCT CGC CAT TCT TCG TGA TTC C  
 Lower: 5'-GGT TGG CCT CCC TTC CGT AGA TA

1. H<sub>2</sub>O CONTROL
2. -VE CONTROL (LEAF)
3. NON TRANSGENIC SEED DNA
4. TRANSGENIC SEED DNA
5. +VE CONTROL



EXPECTATION- 0.58 KB

#### Results and conclusion

As expected amplification from cry1C was observed in case of transgenic and positive control proving the presence of the gene. Water and negative controls were clear indicating the absence of gene.

### ELISA confirmation

Quantitative ELISA for Cry1C protein was performed using the Quantiplate kit for Cry1C (Envirologix, USA; Catalog No. AP 007) according to the manufacturer's protocol


Sl no	Entry ID	A <sub>450</sub>	Cry1C concentration (µg/g on fresh wt)
1	Blank	0.09	NA
2	1 ppb standard	0.3	0.92
3	5 ppb standard	1.44	5.2
4	10 ppb standard	2.21	9.93
5	Nontransgenic	0.092	NA
6	Transgenic	2.9	13.08

### Results

The absorbance value observed at 450nm for nontransgenic sample was nearly the same as blank and no colour development was observed in case of nontransgenic. Blue colour development was observed in case of transgenic samples indicating the presence of Cry1C protein.

### Declaration

I hereby declare that the certificate of quality presented above is true to the best of my knowledge and is made on the basis of experiments carried out in our premises.



**Val. Ramanathan**

Head- Genomics

**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

**Confidential**

**ADDENDUM TO REPORT NO. 000041134 FOR**

**ACUTE ORAL TOXICITY STUDY IN RATS**

**WITH**

**Bt COTTONSEEDS**

**Report for:**

**METAHELIX LIFE SCIENCES PRIVATE LIMITED  
PLOT NO.3, KIADB 4<sup>th</sup> PHASE, BOMMASANDRA,  
BANGALORE-560 099, INDIA**

**Guidelines:**

**‘DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic  
Seeds, Plants and Plant Parts’**

**Prepared by:**

**DEPARTMENT OF TOXICOLOGY  
SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**

**(A Unit of Shriram Scientific & Industrial Research Foundation)**

*19, University Road, Delhi – 110 007*

*Tel. 27667267, 27667860, 27667432*

*Fax No. 91+11-27667676, 27667207*

*E. Mail: sridlhi@vsnl.com*

## SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential

### QUALITY ASSURANCE STATEMENT

This is to certify that the work described in the study report entitled 'Addendum to Report No. 000041134 for Acute Oral Toxicity Study in Rats' with 'Bt Cottonseeds' has been examined in accordance to the 'DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts' in compliance with Good laboratory Practices (G.L.P) for non-clinical laboratory studies.

The report provides true and accurate record of results obtained.

*Binu Bhat*  
**Sr. SCIENTIST**  
**QUALITY ASSURANCE**

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential


## STATEMENT OF COMPLIANCE WITH GOOD LABORATORY PRACTICE

We, the undersigned take overall responsibility to conduct the work described in the study entitled 'Addendum to Report No. 000041134 for Acute Oral Toxicity Study in Rats' with Bt Cottonseeds performed with respect to the Standard Operating Procedures in accordance to 'DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts' for non-clinical laboratory studies.

All the raw data, documentation, protocol and copy of final report are retained in the archives at Shriram Institute for Industrial Research, Delhi.

  
STUDY DIRECTOR

  
SCIENTIST PATHOLOGY

  
HEAD, DEPT. OF TOXICOLOGY

Approved for issue

  
JOINT DIRECTOR  
(MANAGEMENT)

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

---

Confidential

## TEST SUBSTANCE

The sponsor is responsible for necessary characterization and evaluation of the test substance. The details of the test substance provided by the sponsor are as follows:

**PRODUCT NAME** : NON-Bt COTTONSEEDS (SAMPLE I)  
& Bt COTTONSEEDS (SAMPLE II)

**SPONSOR** : METAHELIX LIFE SCIENCES  
PRIVATE LIMITED

**MATERIAL DESCRIPTION** : YELLOWISH BROWN COLOURED  
POWDER

**PACKED IN** : BROWN COLOURED PAPER  
CARTONS

**DATE OF COMMENCEMENT  
OF STUDY** : 16.08.2007

**DATE OF COMPLETION  
OF STUDY** : 31.08.2007



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential

## EXPERIMENTAL DESIGN

Name of species : *Rattus rattus albanicus*  
Strain of the animals : Wistar  
No. of animals used per dose : 5 Male, 5 Female  
Age of the animals used : 6 to 7 weeks  
Weight range : 160-180 gm  
Acclimatization period : 7 Days  
Route of administration : Oral  
Vehicle used : Corn oil

## GROUP AND DOSAGE LEVEL

---

Group	Dosage Level (mg/kg B.wt.)	No. of animals	
		Male	Female
Control group (Vehicle only)	0.00	5	5
Non-Bt Cottonseeds (Sample-I)	5000	5	5
Bt Cottonseeds (Sample-II)	5000	5	5

---



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential

## HUSBANDRY

All animals were caged in a group of 5 according to sex in plastic cages fitted with wire mesh tops and having sterilized paddy husk bedding. The room temperature was maintained at  $22 \pm 3^{\circ}$  C with 30 - 70 % relative humidity. The room was ventilated at the rate of approximately 15 air changes per hour.

Lighting was controlled to give 12 hours artificial light (8 a.m. - 8 p.m.) each day.

Water and standard pelleted feed (Amrut feeds Ltd.) was freely available to the experimental rats.

## IDENTIFICATION OF ANIMALS

Each cage was tagged having the details of animal group number, product name, dosage level, date of initiation and date of completion.

The animals were also marked with the help of picric acid.

## DOSE ADMINISTRATION

The animals were normally fasted for 18 hours before and 4 hours after dosing. Three groups of 5 male and 5 female rats each were designated for the study. First group of animals was administered with Non-Bt Cottonseeds (Sample-I) in powdered form orally at the highest dose level of 5000 mg/kg body weight with

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

---

Confidential

the help of metallic cannula attached with tuberculin syringe. Second group was similarly administered orally with powdered Bt Cottonseeds (Sample-II).

The control group of animals was also treated with corn oil only.

## Frequency of administration

The test article was administered once only following an overnight fast.

## OBSERVATION

### Mortality and toxic signs

Mortality and clinical sign and symptoms were recorded during the observation period of 14 days after dose administration.

## CLINICAL LABORATORY STUDIES

The following clinical laboratory determinations were made in the animals of the test as well control groups as supplement to the main report (Report No. 000041134) entitled 'Acute oral toxicity study in rats with Bt Cottonseeds'.

### Blood sampling

3-5 ml of blood was withdrawn by cardiac puncture under light Carbon dioxide anesthesia prior to sacrifice.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

---

Confidential

## **Serum Biochemistry**

Following estimations were performed on control and treated rats using Hitachi Biochemistry Analyser 902 (Roche).

- a. Bilirubin
- b. Acetylcholinesterase (AchE)
- c. Serum histamine level

## **BIO-STATISTICAL ANALYSIS**

Student's t-test.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential

## RESULTS

### **Mortality and toxic signs**

Mortality and clinical sign and symptoms were recorded during the observation period of 14 days after dose administration.

No mortality was recorded (Table- 1.01 &1.02) in the animals of control and test groups i.e. Non-Bt Cottonseeds (Sample-I) and Bt Cottonseeds (Sample-II) of animals. No toxic signs or symptoms (Table-1.03) were noticed in the control and in any test groups i.e. Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) animals.

### **Clinical biochemistry evaluations**

Serum Biochemistry evaluations for Bilirubin and Acetylcholinesterase (AchE) (Tables 2.01-2.05) disclosed no significant differences in control and test groups Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) of animals, as all the parameters fell within the accepted limits of normal variations. Serum histamine level was found negligibly in all the test groups and was comparable to the the control group of animals.

### **Conclusion**

Under the conditions of this study, the single oral administration of ‘Non-Bt Cottonseeds (Sample –I)’ and ‘Bt Cottonseeds (Sample –II)’ at the dose level of 5000 mg/kg b.wt to wistar rats did not induce any treatment related observable toxic effects with regards to bilirubin and acetylcholinesterase (AchE) and

**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**



**PROJECT : TOX-346A**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE ORAL TOXICITY STUDY IN RATS**  
**DATE : 29.09.2007**

**Confidential**

serum histamine, when compared to its control group of animal treated with corn oil (vehicle) only.

**TABLE –1.01**  
**LD<sub>50</sub> ASSAY - MORTALITY DATA OF MALE RATS**

Dosage level mg/kg	Time of Death ( Days )														Cumulative Mortality	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14		
<b>CONTROL- DOSED WITH VEHICLE ONLY</b>																
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON-BT COTTONSEEDS (SAMPLE-I)</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS (SAMPLE-II)</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

Confidential

**TABLE –1.02**  
**LD<sub>50</sub> ASSAY - MORTALITY DATA OF FEMALE RATS**

Dosage level mg/kg	Time of Death (Days)														Cumulative Mortality
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
<b>CONTROL- DOSED WITH VEHICLE ONLY</b>															
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON –BT COTTONSEEDS (SAMPLE-I)</b>															
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS (SAMPLE-II)</b>															
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

No toxic signs & symptoms / mortality was observed in control group of animals.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

**TABLE - 1.03**  
**SUMMARY OF OBSERVATIONS (MALES & FEMALES)**

<b>Group &amp; Dosage level</b> <b>(mg / kg B.wt)</b>	<b>Clinical Observations</b>	<b>Necropsy Observations</b>
Control group (Vehicle only) was noticed.	No toxic signs or symptoms	No noteworthy findings
Non-Bt Cottonseeds (Sample-I) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings
Bt Cottonseeds (Sample-II) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

---

**TABLE - 2.01**  
**MEAN BIOCHEMISTRY DATA ON MALE RATS**

<b>Parameters</b>	<b>Control (Vehicle only)</b>	<b>Non-Bt Cottonseeds ( Sample I) 5000 mg /kg b.wt.</b>	<b>Bt Cottonseeds ( Sample II) 5000 mg /kg b.wt.</b>
Bilirubin	0.09 ± 0.01	0.07±0.02	0.06±0.01
Acetylcholinesterase (AChE)	562.2±104.25	592.4±76.11	629.4±87.08

\* Serum histamine was present negligibly.



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



PROJECT : TOX-346A  
PRODUCT : Bt COTTONSEEDS  
STUDY : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
DATE : 29.09.2007

**TABLE -2.02**  
**MEAN BIOCHEMISTRY DATA ON FEMALE RATS**

Parameters	Control (Vehicle only)	Non-Bt Cottonseeds ( Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds ( Sample II) 5000 mg /kg b.wt.
Bilirubin	0.08±0.01	0.07±0.01	0.07±0.01
Acetylcholinesterase (AchE)	1435.8±292.47	1706.6±344.21	1346.8±332.19

\* Serum histamine was present negligibly.

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE ORAL TOXICITY STUDY IN RATS  
**DATE** : 29.09.2007

**TABLE -2.03**  
**BIOCHEMISTRY DATA OF Rats (VEHICLE only)**  
**GROUP: CONTROL**

Animal No.	Sex	Bilirubin	Acetyl cholinesterase (AchE)
1	M	0.10	476
2	M	0.08	684
3	M	0.09	494
4	M	0.10	489
5	M	0.10	668
Mean ± S.D		0.09 ± 0.01	562.2±104.25
1	F	0.07	1575
2	F	0.06	932
3	F	0.11	1685
4	F	0.09	1483
5	F	0.09	1504
Mean ± S.D		0.08±0.01	1435.8±292.47

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



PROJECT : TOX-346A  
PRODUCT : Bt COTTONSEEDS  
STUDY : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
ORAL TOXICITY STUDY IN RATS  
DATE : 29.09.2007

**TABLE -2.04**  
**BIOCHEMISTRY DATA OF RATS**  
**GROUP: NON-Bt COTTONSEEDS ( SAMPLE I) DOSE : 5000 mg /kg b.wt.**

Animal No.	Sex	Bilirubin	Acetyl cholinesterase (AchE)
1	M	0.09	673
2	M	0.05	509
3	M	0.08	530
4	M	0.07	668
5	M	0.06	582
Mean ± S.D		0.07±0.02	592.4±76.11
1	F	0.07	1713
2	F	0.08	1893
3	F	0.07	2063
4	F	0.08	1716
5	F	0.08	1148
Mean ± S.D		0.07±0.01	1346.8±332.19

# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

Confidential



**PROJECT** : TOX-346A  
**PRODUCT** : Bt COTTONSEEDS  
**STUDY** : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE  
**ORAL TOXICITY STUDY IN RATS**  
**DATE** : 29.09.2007

**TABLE -2.05**  
**BIOCHEMISTRY DATA OF RATS**  
**GROUP: Bt COTTONSEEDS (SAMPLE II) DOSE: 5000 mg /kg b.wt**

Animal No.	Sex	Bilirubin	Acetyl cholinesterase (AchE)
1	M	0.07	526
2	M	0.07	637
3	M	0.05	566
4	M	0.06	671
5	M	0.08	747
Mean ± S.D		0.06±0.01	629.4±87.08
1	F	0.08	1833
2	F	0.07	1134
3	F	0.06	1520
4	F	0.09	1246
5	F	0.06	1001
Mean ± S.D		0.07±0.01	1346.8±332.19



**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
PROJECT : TOX-346A  
PRODUCT : Bt COTTONSEEDS  
STUDY : ADDENDUM TO REPORT NO. 000041134 FOR  
ACUTE ORAL TOXICITY STUDY IN RATS

---

**ADDENDUM TO REPORT NO. 000041134 FOR**

**ACUTE ORAL TOXICITY STUDY IN RATS**

**WITH**

**Bt COTTONSEEDS**

**Report for:**

**METAHELIX LIFE SCIENCES PRIVATE LIMITED**  
PLOT NO.3, KIADB 4<sup>th</sup> PHASE, BOMMASANDRA,  
BANGALORE-560 099, INDIA

**Guidelines:**

**‘DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic  
Seeds, Plants and Plant Parts’**

**Prepared by:**

**DEPARTMENT OF TOXICOLOGY**  
**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**

(A Unit of Shriram Scientific & Industrial Research Foundation)

*19, University Road, Delhi – 110 007*

*Tel. 27667267, 27667860, 27667432*

*Fax No. 91+11-27667676, 27667207*

*E. Mail: sridlhi@vsnl.com*



**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
**PROJECT : TOX-346A**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ADDENDUM TO REPORT NO. 000041134 FOR**  
**ACUTE ORAL TOXICITY STUDY IN RATS**

---

## **QUALITY ASSURANCE STATEMENT**

This is to certify that the work described in the study report entitled ‘Addendum to Report No. 000041134 for Acute Oral Toxicity Study in Rats’ with ‘Bt Cottonseeds’ has been examined in accordance to the ‘DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts’ in compliance with Good laboratory Practices (G.L.P) for non-clinical laboratory studies.

The report provides true and accurate record of the results obtained

*Dinu Bhat*  
**Sr. SCIENTIST**  
**QUALITY ASSURANCE**




**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
**PROJECT : TOX-346A**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ADDENDUM TO REPORT NO. 000041134 FOR ACUTE ORAL TOXICITY STUDY IN RATS**


---


**STATEMENT OF COMPLIANCE WITH GOOD LABORATORY PRACTICE**

We, the undersigned take overall responsibility to conduct the work described in the study entitled ‘Addendum to Report No. 000041134 for Acute Oral Toxicity Study in Rats’ with Bt Cottonseeds performed with respect to the Standard Operating Procedures in accordance to ‘DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts’ in compliance with Good laboratory Practices (G.L.P) for non-clinical laboratory studies.


**All the raw data, documentation, protocol and copy of final report are retained in the archives at Shriram Institute for Industrial Research, Delhi.**

  
**STUDY DIRECTOR**

  
**SCIENTIST PATHOLOGY**

  
**HEAD, DEPT. OF TOXICOLOGY**

Approved for issue

  
**JOINT DIRECTOR (MANAGEMENT)**



**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
**PROJECT : TOX-346A**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ADDENDUM TO REPORT NO. 000041134 FOR**  
**ACUTE ORAL TOXICITY STUDY IN RATS**

---

## **TEST SUBSTANCE**

The sponsor is responsible for necessary characterization and evaluation of the test substance. The details of the test substance provided by the sponsor are as follows:

**PRODUCT NAME : NON-Bt COTTONSEEDS (SAMPLE I)**  
**& Bt COTTONSEEDS (SAMPLE II)**

**SPONSOR : METAHELIX LIFE SCIENCES**  
**PRIVATE LIMITED**

**MATERIAL DESCRIPTION : YELLOWISH BROWN COLOURED**  
**POWDER**

**PACKED IN : BROWN COLOURED PAPER**  
**CARTONS**





### **EXPERIMENTAL DESIGN**

Name of species : *Rattus rattus albanicus*  
Strain of the animals : Wistar  
No. of animals used per dose : 5 Male, 5 Female  
Age of the animals used : 6 to 7 weeks  
Weight range : 160-180 gm  
Acclimatization period : 7 Days  
Route of administration : Oral  
Vehicle used : Corn oil  
Date of commencement of study : 14.12.2007  
Date of completion of study : 28.12.2007

### **GROUP AND DOSAGE LEVEL**

---

Group	Dosage Level (mg/kg B.wt.)	No. of animals	
		Male	Female
Control group (Vehicle only)	0.00	5	5
Non-Bt Cottonseeds (Sample-I)	5000	5	5
Bt Cottonseeds (Sample-II)	5000	5	5

---



## **HUSBANDRY**

All animals were caged in a group of 5 according to sex in plastic cages fitted with wire mesh tops and having sterilized paddy husk bedding. The room temperature was maintained at  $22 \pm 3^{\circ}$  C with 30 - 70 % relative humidity.

The room was ventilated at the rate of approximately 15 air changes per hour.

Lighting was controlled to give 12 hours artificial light (8 a.m. - 8 p.m.) each day.

Water and standard pelleted feed (Amrut feeds Ltd.) was freely available to the experimental rats.

## **IDENTIFICATION OF ANIMALS**

Each cage was tagged having the details of animal group number, product name, dosage level, date of initiation and date of completion.

The animals were also marked with the help of picric acid.



## **DOSE ADMINISTRATION**

The animals were normally fasted for 18 hours before and 4 hours after dosing. Three groups of 5 male and 5 female rats each were designated for the study. First group of animals was administered with Non-Bt Cottonseeds (Sample-I) in powdered form orally at the highest dose level of 5000 mg/kg body weight with the help of metallic cannula attached with tuberculin syringe. Second group was similarly administered orally with powdered Bt Cottonseeds (Sample-II).

The control group of animals was also treated with corn oil only.

### **Frequency of administration**

The test article was administered once only following an overnight fast.

## **Mortality and toxic signs**

Mortality and clinical sign and symptoms were recorded during the observation period of 14 days after dose administration.



**SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH**  
**PROJECT : TOX-346A**  
**PRODUCT : Bt COTTONSEEDS**  
**STUDY : ADDENDUM TO REPORT NO. 000041134 FOR**  
**ACUTE ORAL TOXICITY STUDY IN RATS**

---

## **CLINICAL LABORATORY STUDIES**

The following clinical laboratory determinations were made in the animals of the test as well control groups as supplement to the main report (Report No. 000041134) entitled 'Acute oral toxicity study in rats with Bt Cottonseeds'.

### **Blood sampling**

3-5 ml of blood was withdrawn by cardiac puncture under light Carbon dioxide anesthesia prior to sacrifice.

### **Haematology**

The Prothrombin time and ESR of the blood samples taken from the control and the treated rats by 'Fully Automatic Cell Counter (Inst.no. SRI/TOX/INST/19)'.

### **Biochemistry**

Non-protein nitrogen estimation was performed on control and treated rats using 'Fully Automatic Biochemistry Analyser (Inst.no. SRI/TOX/INST/18)'.

## **BIO-STATISTICAL METHOD USED**

Student's t-test.



## **OBSERVATIONS**

### **Mortality and toxic signs**

No mortality was recorded (Table- 1.01 &1.02) in the animals of control and test groups i.e. Non-Bt Cottonseeds (Sample-I) and Bt Cottonseeds (Sample-II) of animals. No toxic signs or symptoms (Table-1.03) were noticed in the control and in any test groups i.e. Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II) animals.

### **Haematology evaluations**

Haematological evaluation for the parameters 'Prothrombin time' and 'ESR' (Tables 2.01-2.04) did not show significant differences in the control and the test groups 'Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II)' of animals, as all the parameters fell within the accepted limits of normal variations.

### **Clinical biochemistry evaluations**

Serum Biochemistry evaluations for Non-protein nitrogen (Tables 3.01-3.04) disclosed no significant differences in control and test groups 'Non-Bt Cottonseeds (Sample-I) along with Bt Cottonseeds (Sample-II)' of animals, as all the parameters fell within the accepted limits of normal variations.



## **RESULTS WITH CONCLUSION**

Under the conditions of this study, the single oral administration of ‘Non-Bt Cottonseeds (Sample-I)’ and ‘Bt Cottonseeds (Sample-II)’ at the dose level of 5000 mg/kg b.wt to rats did not induce any treatment related observable toxic effects with regards to the haematological parameters i.e. Prothrombin Time and ESR as well as the biochemical parameter i.e. Non-protein nitrogen, when compared to its control group of animal treated with corn oil (vehicle) only.

The sample has been conducted as per DBT, Guidelines for Toxicity and Allergenicity Evaluation of Transgenic Seeds, Plants and Plant parts.



**TABLE –1.01**  
**LD<sub>50</sub> ASSAY - MORTALITY DATA OF MALE RATS**

---

Dosage level mg/kg	Time of Death ( Days )														Cumulative Mortality	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14		
<b>CONTROL- DOSED WITH VEHICLE ONLY</b>																
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON-BT COTTONSEEDS (SAMPLE-I)</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS (SAMPLE-II)</b>																
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

---



**TABLE –1.02**  
**LD<sub>50</sub> ASSAY - MORTALITY DATA OF FEMALE RATS**

---

Dosage level mg/kg	Time of Death (Days)														Cumulative Mortality
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
<b>CONTROL - DOSED WITH VEHICLE ONLY</b>															
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>NON-BT COTTONSEEDS (SAMPLE-I)</b>															
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5
<b>BT COTTONSEEDS (SAMPLE-II)</b>															
5000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0/5

---

No toxic signs & symptoms / mortality was observed in control group of animals.





**TABLE - 1.03**  
**SUMMARY OF OBSERVATIONS (MALES & FEMALES)**

<b>Group &amp; Dosage level</b> <b>(mg / kg B.wt)</b>	<b>Clinical Observations</b>	<b>Necropsy Observations</b>
Control group (Vehicle only)	No toxic signs or symptoms was noticed.	No noteworthy findings
Non-Bt Cottonseeds (Sample-I) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings
Bt Cottonseeds (Sample-II) 5000	No treatment related toxic signs or symptoms was noticed.	No noteworthy findings

---



**TABLE - 2.01**  
**MEAN HAEMATOLOGY DATA ON RATS**

Parameters	Sex	Control (Vehicle only)	Non-Bt Cottonseeds (Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds (Sample II) 5000 mg /kg b.wt.
Prothrombin Time (sec.)	Male	19.60 ± 1.14	18.40 ± 1.14	17.20 ± 1.30
	Female	19.20 ± 0.84	18.20 ± 1.30	18.20 ± 1.30
ESR (mm/hr.)	Male	18.40 ± 1.14	17.40 ± 1.14	18.00 ± 1.58
	Female	19.20 ± 0.84	18.20 ± 0.84	18.40 ± 1.14



**TABLE -2.02**  
**HAEMATOLOGY DATA OF RATS (VEHICLE ONLY)**  
**GROUP: CONTROL**

<b>Animal No.</b>	<b>Sex</b>	<b>Prothrombin Time (sec.)</b>	<b>ES R (mm/hr.)</b>
1	M	21	18
2	M	19	20
3	M	20	17
4	M	18	19
5	M	20	18
<b>Mean</b>		19.60	18.40
<b>±</b>		±	±
<b>S.D</b>		1.14	1.14
1	F	20	19
2	F	19	20
3	F	20	18
4	F	19	19
5	F	18	20
<b>Mean</b>		19.20	19.20
<b>±</b>		±	±
<b>S.D</b>		0.84	0.84



**TABLE -2.03**  
**HAEMATOLOGY DATA OF RATS**  
**GROUP: NON-Bt COTTONSEEDS (SAMPLE I) DOSE: 5000 mg /kg b.wt.**

Animal No.	Sex	Prothrombin Time (sec.)	ES R (mm/hr.)
1	M	18	19
2	M	20	18
3	M	19	16
4	M	18	17
5	M	17	17
Mean		18.40	17.40
±		±	±
S.D		1.14	1.14
1	F	20	19
2	F	19	18
3	F	17	17
4	F	18	18
5	F	17	19
Mean		18.20	18.20
±		±	±
S.D		1.30	0.84



**TABLE -2.04**  
**HAEMATOLOGY DATA OF RATS**  
**GROUP: Bt COTTONSEEDS (SAMPLE II) DOSE: 5000 mg /kg b.wt**

<b>Animal No.</b>	<b>Sex</b>	<b>Prothrombin Time (sec.)</b>	<b>ESR (mm/hr.)</b>
<b>1</b>	<b>M</b>	16	17
<b>2</b>	<b>M</b>	17	19
<b>3</b>	<b>M</b>	19	18
<b>4</b>	<b>M</b>	18	16
<b>5</b>	<b>M</b>	16	20
<b>Mean</b>		17.20	18.00
<b>±</b>		±	±
<b>S.D</b>		1.30	1.58
<b>1</b>	<b>F</b>	17	19
<b>2</b>	<b>F</b>	19	17
<b>3</b>	<b>F</b>	20	20
<b>4</b>	<b>F</b>	18	18
<b>5</b>	<b>F</b>	17	18
<b>Mean</b>		18.20	18.40
<b>±</b>		±	±
<b>S.D</b>		1.30	1.14



**TABLE - 3.01**  
**MEAN BIOCHEMISTRY DATA ON RATS**

Parameter	Sex	Control (Vehicle only)	Non-Bt Cottonseeds (Sample I) 5000 mg /kg b.wt.	Bt Cottonseeds (Sample II) 5000 mg /kg b.wt.
Non-protein nitrogen (mg/dl)	Male	45.88 ± 0.88	45.86 ± 1.14	46.16 ± 0.99
	Female	44.60 ± 0.86	45.04 ± 0.96	45.00 ± 0.99



**TABLE -3.02**  
**BIOCHEMISTRY DATA OF Rats (VEHICLE only)**  
**GROUP: CONTROL**

<b>Animal No.</b>	<b>Sex</b>	<b>Non-protein nitrogen (mg/dl)</b>
1	M	45.2
2	M	45.1
3	M	47.2
4	M	45.6
5	M	46.3
<b>Mean</b>		45.88
<b>±</b>		±
<b>S.D</b>		0.88
1	F	44.6
2	F	45.2
3	F	44.2
4	F	45.6
5	F	43.4
<b>Mean</b>		44.60
<b>±</b>		±
<b>S.D</b>		0.86



**TABLE -3.03**  
**BIOCHEMISTRY DATA OF RATS**  
**GROUP: NON-Bt COTTONSEEDS (SAMPLE I) DOSE: 5000 mg /kg b.wt.**

<b>Animal No.</b>	<b>Sex</b>	<b>Non-protein nitrogen (mg/dl)</b>
1	M	46.2
2	M	45.0
3	M	47.6
4	M	45.8
5	M	44.7
<b>Mean</b>		45.86
<b>±</b>		±
<b>S.D</b>		1.14
1	F	44.2
2	F	44.0
3	F	46.3
4	F	45.1
5	F	45.6
<b>Mean</b>		45.04
<b>±</b>		±
<b>S.D</b>		0.96





**TABLE -3.04**  
**BIOCHEMISTRY DATA OF RATS**  
**GROUP: Bt COTTONSEEDS (SAMPLE II) DOSE: 5000 mg /kg b.wt**

<b>Animal No.</b>	<b>Sex</b>	<b>Non-protein nitrogen (mg/dl)</b>
<b>1</b>	<b>M</b>	46.8
<b>2</b>	<b>M</b>	44.2
<b>3</b>	<b>M</b>	45.6
<b>4</b>	<b>M</b>	47.4
<b>5</b>	<b>M</b>	46.8
<b>Mean</b>		46.16
<b>±</b>		±
<b>S.D</b>		1.28
<b>1</b>	<b>F</b>	45.8
<b>2</b>	<b>F</b>	44.2
<b>3</b>	<b>F</b>	45.4
<b>4</b>	<b>F</b>	44.6
<b>5</b>	<b>F</b>	46.7
<b>Mean</b>		45.00
<b>±</b>		±
<b>S.D</b>		0.99